

SALISBURY INSULATED PRODUCTS (S.I.P.) - INSULATED HAND TOOLS

Every insulated hand tool is rated for exposure up to 1000VAC and dielectrically tested at 10,000VAC. These tools meet or exceed current ASTM F1505-07 and IEC 900 Standards for Insulated Hand Tools. These tools will help you to be compliant with OSHA 29 CFR 1910 Subpart S, and NFPA 70E.

TO FULLY COMPLY WITH OSHA 1910.333 (C)(2) AND NFPA 70E, INSULATED HAND TOOLS MUST BE USED. A COMPLETE INSULATED TOOL PROGRAM SHOULD BE IN PLACE TO MEET THESE STANDARDS.

The insulating material used is impact resistant and flame retardant. Two-color insulation makes inspection easier which adds to the overall safety. If the yellow under layer is showing, the tool may no longer be insulated properly and should be considered for electrical retesting.

Meets IEC 900 Standard for Insulated Hand Tools
Exceed current ASTM F1505-07 Standards for Insulated Hand Tools
Helps Meet OSHA Requirements
Meets NFPA 70E Requirements
Tested to 10,000 VAC and Rated for 1,000 VAC Maximum Exposure
Impact Resistant & Flame Retardant Two-Color Insulating Material

NEW

**SEE OUR NEW
NON-SPARKING
TOOL OFFERING
SEE PAGE 97.**

**MADE IN U.S.A.
OFFERING OVER 2,000 TOOLS!**



WARNING: SALISBURY INSULATED TOOLS ARE TO BE USED AS SECONDARY PROTECTION AND ARE NOT INTENDED TO BE USED IN PLACE OF OTHER PERSONAL PROTECTIVE EQUIPMENT. WHENEVER POSSIBLE, ALWAYS DE-ENERGIZE LINES BEFORE WORKING ON OR AROUND THEM. ALTHOUGH THE INSULATION ON SALISBURY TOOLS IS IMPACT RESISTANT AND FLAME RETARDANT, EACH TOOL SHOULD BE INSPECTED PRIOR TO EACH USE FOR CRACKS, CUTS, OR OTHER DAMAGE. SHOULD THE YELLOW INSULATION BECOME VISIBLE THROUGH THE ORANGE OUTER LAYER, DISCONTINUE USE IMMEDIATELY

INSULATED TOOL KITS

SHOCK PROTECTION

TELECOMMUNICATION TOOL BOX

CAT. NO.	DESCRIPTION
S101	16 PCS. INCLUDES: 3/8"DR RATCHET 3/8"DRIVE TORQUE RATCHET 10"LONG 30-150 IN/LB 3" EXTENSION REGULAR SOCKETS 12PT: 3/8", 7/16", 1/2", 9/16" 5/8" DEEP SOCKET 3/8"DRIVE 9" LINESMAN PLIER 6" NEEDLE NOSE PLIER 8" SLIP JOINT PLIER SLOTTED SCREWDRIVERS: 3/16 X 4", 1/4 X 6", 5/16 X 6", 3/8 X 8" #2 X 6" PHILLIPS SCREWDRIVER IN A HIGH IMPACT PLASTIC TOOL BOX




TELECOMMUNICATION TOOL POWER CONNECTING KIT

CAT. NO.	DESCRIPTION
S10TK23	24 PCS. INCLUDES: CLOSE QUARTERS SOCKET SET 3/8"DRIVE WITH RATCHET 3" EXTENSION REGULAR SOCKETS 12PT: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1" 6" ADJUSTABLE WRENCH NUT DRIVER SET 3": 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2" IN A HIGH IMPACT PLASTIC TOOL BOX

THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES.



INSULATED HAND TOOL MARKINGS



NOTE:

Contact your local Salisbury by Honeywell Representative for your tool needs not seen here. Our tool line is capable of customizing and supplying almost any tool with protection up to 1000V.

Salisbury can also supply customized tool kits and insulate almost any customer tools if necessary.

INSULATED TOOL KITS



BASIC ELECTRICIAN ROLL

CAT. NO.	DESCRIPTION
TK9	9 PCS. INCLUDES: SLOTTED SCREWDRIVERS: 3/16 X 4", 3/16 X 6", 1/4 X 6" PHILLIPS SCREWDRIVERS: #1 X 3", #2 X 4" 7" NEEDLE NOSE PLIER 7-1/2" DIAGONAL CUTTING PLIER 9" LINESMAN'S PLIER COMBINATION STRIPPER / CRIMPER PLIER IN A ROLL

OUTSIDE MAINTENANCE BOX



CAT. NO.	DESCRIPTION
S10TK25	24 PCS. INCLUDES: 1/4 X 6" NARROW TIP SCREWDRIVER #2 X 8" PHILLIPS SCREWDRIVER NUTDRIVERS: 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3" TORQUE WRENCH 30 - 150 IN/LB REVERSIBLE RATCHET 3/8" DRIVE 3", 6" AND 12" EXTENSIONS, 3/8" DRIVE 8 PCS. 3/8" TO 13/16" DEEP 12 PT. SOCKET SET 6" TYPE "L" HEX WRENCHES, LONG ARM: 3/16", 1/4", 5/16", 3/8" 10" WATER PUMP PLIER IN A PLASTIC BOX



INSIDE MAINTENANCE BOX

CAT. NO.	DESCRIPTION
S10TK40	40PCS. INCLUDES: NARROW TIP SCREWDRIVERS: 3/16 X 6", 1/4 X 6" SLOTTED TIP SCREWDRIVER: 3/8 X 6" PHILLIPS SCREWDRIVERS: #1 X 3", #2 X 6" NUTDRIVERS: 3/16 X 3", 1/4 X 3", 5/16 X 3", 11/32 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3" TORQUE WRENCH 30 - 150 IN/LB 3/8" DRIVE REVERSIBLE RATCHET 3", 6" AND 12" EXTENSIONS, 3/8" DRIVE 8 PCS. 3/8" TO 13/16" DEEP 12 PT. SCTK SET 8 PCS. 3/8" TO 13/16" BOX END WRENCH SET 6" TYPE "L" HEX WRENCHES, LONG ARM: 3/16", 1/4", 5/16", 3/8" 10" WATER PUMP PLIER IN A PLASTIC BOX

HVAC TOOL KIT

CAT. NO.	DESCRIPTION
S10TK12	<p>HVAC TOOL KIT - 23 PCS. INCLUDES:</p> <p>SLOTTED SCREWDRIVERS: 3/16 X 4", 3/16 X 6", 1/4 X 4", 1/4 X 6", 5/16 X 6", 3/8 X 8"</p> <p>PHILLIPS SCREWDRIVERS: #1 X 3", #2 X 4"</p> <p>NUTDRIVERS: 3/16 X 3", 1/4 X 3", 5/16 X 3", 11/32 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3"</p> <p>TYPE "L" HEX WRENCHES, LONG ARM: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2"</p> <p>8" LONG NEEDLE NOSE PLIER W/ SIDE CUTTER</p> <p>12" RECTANGULAR INSPECTION MIRROR</p> <p>TOOL ROLLS</p> <p>IN A PLASTIC BOX</p>



DELUXE MAINTENANCE TOOL KIT

CAT. NO.	DESCRIPTION
TK30	<p>29 PCS. INCLUDES:</p> <p>SLOTTED SCREWDRIVERS: 1/8 X 2", 3/16 X 4", 1/4 X 6"</p> <p>PHILLIPS SCREWDRIVER: #1 X 3", #2 X 4"</p> <p>TORQUE WRENCH 30 - 150 IN/LB</p> <p>3/8" DRIVE REVERSIBLE RATCHET</p> <p>3" AND 6" EXTENSIONS, 3/8" DRIVE</p> <p>8PCS. 3/8" TO 13/16" DEEP 12 PT. SOCKET SET, 3/8" DRIVE</p> <p>8 PCS. 3/8" TO 13/16" BOX END WRENCH SET</p> <p>7-1/2" DIAGONAL CUTTING PLIER</p> <p>8" NEEDLE NOSE PLIER</p> <p>9" LINEMAN'S PLIER</p> <p>MINI FLASHLIGHT</p> <p>IN A PLASTIC BOX</p>



ELECTRICIAN'S TOOL KIT

CAT. NO.	DESCRIPTION
TK30ETK	<p>30PCS. INCLUDES:</p> <p>9" LINEMAN PLIER</p> <p>8" HD SLIP JOINT PLIER WITH CUTTING SHEAR</p> <p>CRIMPING TOOL</p> <p>10" TONGUE AND GROOVE PLIER (WATERPUMP)</p> <p>SLOTTED SCREWDRIVERS: 3/16" X 4", 1/4" X 4", 1/4" X 6", 5/16" X 6", 3/8" X 8", 3/16" X 6";</p> <p>PHILLIPS SCREWDRIVERS: #1 X 3", #2 X 4"</p> <p>NUT DRIVERS: 1/4" X 3", 5/16" X 3", 3/8" X 3", 7/16" X 3", 1/2" X 3", 3/16" X 3", 11/32" X 3";</p> <p>8" LONG NEEDLE NOSE PLIER WITH SIDE CUTTER</p> <p>7" BOX JOINT CUTTING PLIER</p> <p>9-1/2" PLIER CUTTING PLIER</p> <p>12" TONG AND GROOVE (WATERPUMP)</p> <p>6" FLAT NOSE PLIER</p> <p>LONG ARM, TYPE "T" HEX WRENCHES: 3/16" 6", 1/4" 6", 5/16" 6", 3/8" 6", 7/16" 6", 1/2" 6"</p> <p>IN A PLASTIC BOX</p>



INSULATED TOOL KITS



HOT BOX TOOL KIT

CAT. NO.	DESCRIPTION
TK60	<p>60 PCS. INCLUDES:</p> <p>SLOTTED SCREWDRIVERS: 1/8 X 2", 3/16 X 4", 3/16 X 6", 1/4 X 6", 5/16 X 6"</p> <p>PHILLIPS SCREWDRIVERS: #2 X 4", #2 X 8"</p> <p>NUTDRIVERS: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"</p> <p>TORQUE WRENCH 30 - 150 IN/LB;</p> <p>3/8"DR, REVERSIBLE RATCHET</p> <p>3" AND 6" EXTENSIONS, 3/8"DR</p> <p>10 PCS. 5/16" TO 7/8", 3/8"DR SOCKET SET</p> <p>11 PCS. 3/8" TO 1" BOX END WRENCH SET</p> <p>14 PCS. 1/16" TO 1/2", 6" LONG ARM, TYPE "L" HEX WRENCH SET</p> <p>7-1/2" DIAGONAL CUTTING PLIER,</p> <p>8" NEEDLE NOSE PLIER,</p> <p>9" LINESMAN'S PLIER,</p> <p>9-1/2" CABLE CUTTING PLIER,</p> <p>10" WATER PUMP PLIER,</p> <p>COMBINATION STRIPPER/CRIMPER PLIER</p> <p>IN A PLASTIC BOX, INCLUDING TOOL ROLLS</p>

HOT BOX TOOL KIT WITHOUT TORQUE WRENCH

CAT. NO.	DESCRIPTION
TK60E	<p>59 PCS. INCLUDES:</p> <p>SLOTTED SCREWDRIVERS: 1/8 X 2", 3/16 X 4", 3/16 X 6", 1/4 X 6", 5/16 X 6"</p> <p>PHILLIPS SCREWDRIVER: #2 X 4", #2 X 8"</p> <p>NUTDRIVERS: 3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2</p> <p>REVERSIBLE RATCHET, 3/8"DR</p> <p>3" AND 6" EXTENSIONS, 3/8"DR</p> <p>10PCS 5/16" TO 7/8", 3/8"DR SOCKET SET</p> <p>11PCS 3/8" TO 1" BOX END WRENCH SET</p> <p>14 PCS. 1/16" TO 1/2", 6" LONG ARM, TYPE "L" HEX WRENCH SET</p> <p>7-1/2" DIAGONAL CUTTING PLIER</p> <p>8" NEEDLE NOSE PLIER</p> <p>9" LINESMAN'S PLIER,</p> <p>9-1/2" CABLE CUTTING PLIER,</p> <p>10" WATER PUMP PLIER,</p> <p>COMBINATION STRIPPER / CRIMPER PLIER.</p> <p>IN A PLASTIC BOX, INCLUDING TOOL ROLLS</p>

► 1000V ELECTRICAL INSULATED TOOL KIT FOR HYBRID VEHICLES

Are you ready? Do you have the necessary tools to guard against the dangers of electrocution from hybrid-electric vehicles?

Mechanics and firefighters should be cautious when working on hybrid vehicles because hybrid vehicles use a combination of a gasoline motor and a high-voltage electric motor. The electric motor operates on voltages as high as 500 volts, that's more than eight times the lethal voltage. Be ready for anything. Don't be caught worrying about the "what ifs" while working on these vehicles.

TK1 2HB
Electrical Kit for
Hybrid Vehicles



► 1000V UTILITY INSULATED HAND TOOL KITS

Salisbury makes working in the field even easier with these three Utility Tool Kits.

Salisbury now offers three specially designed Utility Insulated Hand Tool Kits. These convenient tool kits include everything you need for routine utility applications. Salisbury is proud to offer a 24 piece Substation Tool Kit, a 16 piece Meter Tool Kit, and a 15 piece Lineman's Secondary Distribution Tool Kit. Each kit includes easy storage tool rolls and lightweight tool box.



TK24SS
Substation Kit



TK1 6MT
Meter Kit



Cat. No.	Description
TK12HB	Hybrid Tool Kit; 12 Pcs. Includes: 10" Crimping Tool, 9" Side Cutter, 8" Slip Joint Cutter, 6" Chain Nose Pliers, 6" Diagonal, 10" Water Pump, Screwdrivers: #1 X 4, #2 X 4, 3/16" X 4, 1/4" X 4, 1/4" X 6, 5/16" X 6, and Tool Box
TK24SS	Substation Kit; 22 Pcs. Includes: (5) 3/8" - 3/4" Box Wrenches, (5) 3/8" - 3/4" Ratcheting Box Wrenches, (5) 3/8" - 3/4" Std. Sockets, 3/8" Ratchet with 3" & 6" Extension, #1 x 3", #2 x 6", #3 x 6" Phillips Screwdrivers, Skinning Knife, (2) Tool Rolls and Sturdy Tool Box
TK16MT	Meter Kit; 14 Pcs. Includes: 9" Lineman's Plier, 7" Diagonal Cutters, 8" Long Nose Pliers, 5/16", 3/8", 1/2" Nut Drivers, #1 x 3", #2 x 4", #3 x 6" Phillips Screwdrivers, 1/8" x 2", 1/4" x 6", 3/16" x 4", 3/16" x 6" Slotted Screwdrivers, Fuse Puler, (2) Tool Rolls and Sturdy Tool Box
TK15LM	Lineman's Secondary Distribution Tool Kit; 15 Pcs. Includes: (9) 7/16" - 15/16" Ratcheting Box Wrenches, Skinning Knife, 3/8" x 12" Slotted Screwdriver, 30" Bolt Cutter, 12" "V" Groove Pliers, 9" Spring Loaded Lineman's Pliers, 10" Adj. Wrench, (2) Tool Rolls and Sturdy Tool Box
TK13TC	SERVICE TOOL KIT for Unigy™ I & II Battery System; 14 Pcs. Includes: 1/4" DR. 30-150 IN./lbs., 7/16" ratcheting box wrench (2), 5/16" x 1/4" & 7/16 x 1/4" dr. unbooted sockets, 6" x 1/4" dr. extension, 3/8" x 1/4" & 7/16" x 1/4" dr. socket, valve shroud removal tool, 1/4" dr. 1-36 in./lbs. torque screwdriver, 17mm x 1/4" dr. allen socket, 17mm sa allen wrench stub, 1/4" dr. ratchet 4.5", 7/16" ratchet box torque wrench prest 125 in./lbs., 10 pocket nylon tool roll, 17mm x 1/4" dr. allen socket

TK15LM Lineman's Secondary
Distribution Tool Kit



TK13TC SERVICE TOOL KIT for
Unigy™ I & II Battery System



METRIC INSULATED TOOL KITS



METRIC TELECOMMUNICATION TOOL BOX

CAT. NO.	DESCRIPTION
S101M	16 PCS. INCLUDES: 3/8"DR RATCHET 3/8"DRIVE TORQUE RATCHET 10"LONG 30-150 IN/LB 3NM-23NM 3" EXTENSION REGULAR SOCKETS 12PT:10MM, 11MM, 12MM, 14MM, 16MM 16MM DEEP SOCKET 3/8"DRIVE 9" LINESMAN PLIER 6" NEEDLE NOSE PLIER 8" SLIP JOINT PLIER SLOTTED SCREWDRIVERS: 3/16 X 4", 1/4 X 6", 5/16 X 6", 3/8 X 8" #2 X 6" PHILLIPS SCREWDRIVER IN A HIGH IMPACT PLASTIC TOOL BOX



METRIC TELECOMMUNICATION TOOL POWER CONNECTING KIT

CAT. NO.	DESCRIPTION
S10TK23M	23 PCS. INCLUDES: METRIC CLOSE QUARTERS SOCKET SET 3/8"DRIVE WITH RATCHET 3" & 6" EXTENSION REGULAR SOCKETS 12PT: 7MM, 8MM, 9MM, 10MM, 11MM, 12MM, 13MM, 14MM, 15MM, 16MM, 17MM, 18MM, 19MM, 20MM, 21MM, 22MM, 23MM, 24MM 6" ADJUSTABLE WRENCH NUT DRIVER SET 3": 5MM, 6MM, 7MM, 8MM, 9MM, 10MM, 11MM, 12MM IN A HIGH IMPACT PLASTIC TOOL BOX

THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES.



METRIC OUTSIDE MAINTENANCE BOX

CAT. NO.	DESCRIPTION
S10TK25M	24 PCS. INCLUDES: 1/4 X 6" NARROW TIP SCREWDRIVER #2 X 8" PHILLIPS SCREWDRIVER NUTDRIVERS: 9MM X 3", 10MM X 3", 11MM X 3", 12MM X 3" TORQUE WRENCH 30 - 150 IN/LB 3NM-23NM REVERSIBLE RATCHET 3/8"DRIVE 3", 6" AND 12" EXTENSIONS, 3/8"DRIVE 8 PCS. 10MM-21MM DEEP 12 PT. SOCKET SET TYPE "L"HEX WRENCHES, LONG ARM: 5MM, 6MM, 8MM, 10MM 10" WATER PUMP PLIER IN A PLASTIC BOX

METRIC INSIDE MAINTENANCE BOX

CAT. NO.	DESCRIPTION
S10TK40M	39 PCS. INCLUDES: NARROW TIP SCREWDRIVERS: 3/16 X 6", 1/4 X 6" SLOTTED TIP SCREWDRIVER: 3/8 X 6" PHILLIPS SCREWDRIVERS: #1 X 3", #2 X 6" NUTDRIVERS: 3" LONG: 5MM, 6MM, 7MM, 8MM, 9MM, 10MM, 11MM, 12MM TORQUE WRENCH 30 - 150 IN/LB 3NM-23NM 3/8"DRIVE REVERSIBLE RATCHET 3", 6" AND 12" EXTENSIONS, 3/8"DRIVE 8 PCS. 10MM-21MM DEEP 12 PT. SCKT SET 8 PCS. 10MM-21MM BOX END WRENCH SET TYPE "L"HEX WRENCHES, LONG ARM: 5MM, 6MM, 8MM, 10MM 10" WATER PUMP PLIER IN A PLASTIC BOX



METRIC DELUXE MAINTENANCE TOOL KIT

CAT. NO.	DESCRIPTION
TK30M	29 PCS. INCLUDES: SLOTTED SCREWDRIVERS: 1/8 X 2", 3/16 X 4", 1/4 X 6" PHILLIPS SCREWDRIVER: #1 X 3", #2 X 4" TORQUE WRENCH 3 NM - 23 NM 3/8"DRIVE REVERSIBLE RATCHET 3" AND 6" EXTENSIONS, 3/8"DRIVE, 4NM -23NM 8PCS. 10MM, 11MM, 12MM, 14MM, 16MM, 18MM, 19MM, 21MM DEEP 12 PT. SOCKET SET, 3/8" DRIVE 8 PCS. 10MM-21MM BOX END WRENCH SET 7-1/2" DIAGONAL CUTTING PLIER 8" NEEDLE NOSE PLIER 9" LINESMAN'S PLIER MINI FLASHLIGHT IN A PLASTIC BOX



METRIC ELECTRICIAN'S TOOL KIT

CAT. NO.	DESCRIPTION
TK30ETKM	30PCS. INCLUDES: 9"LINEMAN PLIER 8" HD SLIP JOINT PLIER WITH CUTTING SHEAR CRIMPING TOOL 10" TONGUE AND GROOVE PLIER (WATERPUMP) SLOTTED SCREWDRIVERS: 3/16" X 4", 1/4" X 4", 1/4" X 6", 5/16" X 6", 3/8" X 8", 3/16" X 6"; PHILLIPS SCREWDRIVERS: #1 X 3", #2 X 4" NUT DRIVERS: 5MM X 3", 6MM X 3", 7MM X 3", 8MM X 3", 9MM X 3", 11MM X 3", 12MM X 3"; 8" LONG NEEDLE NOSE PLIER WITH SIDE CUTTER 7" BOX JOINT CUTTING PLIER 9-1/2" PLIER CUTTING PLIER 12" TONG AND GROOVE (WATERPUMP) 6" FLAT NOSE PLIER LONG ARM, TYPE "T" HEX WRENCHES: 4MM X 6", 5MM X 6", 6MM X 6", 8MM X 6", 10MM X 6", 12MM X 6" IN A PLASTIC BOX



METRIC INSULATED TOOL KITS



METRIC HVAC TOOL KIT

CAT. NO.	DESCRIPTION
STOTK12M	<p>HVAC TOOL KIT; 23 Pcs. Includes:</p> <p>SLOTTED SCREWDRIVERS: 3/16 X 4", 3/16 X 6", 1/4 X 4", 1/4 X 6", 5/16 X 6", 3/8 X 8"</p> <p>PHILLIPS SCREWDRIVERS: #1 X 3", #2 X 4"</p> <p>NUTDRIVERS: 3" LONG: 5MM, 6MM, 7MM, 8MM, 10MM, 12MM</p> <p>TYPE "L" HEX WRENCHES, LONG ARM: 5MM, 6MM, 7MM, 8MM, 10MM, 12MM</p> <p>8" LONG NEEDLE NOSE PLIER W/ SIDE CUTTER</p> <p>12" RECTANGULAR INSPECTION MIRROR</p> <p>TOOL ROLLS</p> <p>IN A PLASTIC BOX</p>



METRIC HOT BOX TOOL KIT

CAT. NO.	DESCRIPTION
TK60M	<p>60 PCS. INCLUDES:</p> <p>SLOTTED SCREWDRIVERS: 1/8 X 2", 3/16 X 4", 3/16 X 6", 1/4 X 6", 5/16 X 6"</p> <p>PHILLIPS SCREWDRIVERS: #2 X 4", #2 X 8"</p> <p>3" LONG NUTDRIVERS</p> <p>TORQUE WRENCH 30 - 150 IN/LB; 4NM-23NM</p> <p>3/8"DR, REVERSIBLE RATCHET</p> <p>3" AND 6" EXTENSIONS, 3/8"DR</p> <p>10 PCS. 8MM-22MM, 3/8"DR SOCKET SET</p> <p>11 PCS. 10MM-27MM BOX END WRENCH SET</p> <p>14 PCS. 1.5MM-12MM HEX WRENCH SET</p> <p>7-1/2" DIAGONAL CUTTING PLIER,</p> <p>8" NEEDLE NOSE PLIER,</p> <p>9" LINESMAN'S PLIER,</p> <p>9-1/2" CABLE CUTTING PLIER,</p> <p>10" WATER PUMP PLIER,</p> <p>COMBINATION STRIPPER/CRIMPER PLIER</p> <p>IN A PLASTIC BOX, INCLUDING TOOL ROLLS</p>

METRIC HOT BOX TOOL KIT WITHOUT TORQUE WRENCH

CAT. NO.	DESCRIPTION
TK60EM	<p>59 PCS. INCLUDES:</p> <p>SLOTTED SCREWDRIVERS: 1/8 X 2", 3/16 X 4", 3/16 X 6", 1/4 X 6", 5/16 X 6"</p> <p>PHILLIPS SCREWDRIVER: #2 X 4", #2 X 8"</p> <p>3" LONG NUTDRIVERS: 5MM, 6MM, 7MM, 8MM, 9MM, 11MM, 12MM</p> <p>REVERSIBLE RATCHET, 3/8"DR</p> <p>3" AND 6" EXTENSIONS, 3/8"DR</p> <p>10PCS 8MM-22MM, 3/8"DR SOCKET SET</p> <p>11PCS 10MM-27MM BOX END WRENCH SET</p> <p>14 PCS. 1.5MM-12MM HEX WRENCH SET</p> <p>7-1/2" DIAGONAL CUTTING PLIER</p> <p>8" NEEDLE NOSE PLIER</p> <p>9" LINESMAN'S PLIER,</p> <p>9-1/2" CABLE CUTTING PLIER,</p> <p>10" WATER PUMP PLIER,</p> <p>COMBINATION STRIPPER / CRIMPER PLIER.</p> <p>IN A PLASTIC BOX, INCLUDING TOOL ROLLS</p>

All Salisbury Insulated Screwdrivers are two color insulated for added safety. High alloy steel blade for maximum strength and ergonomic handle for comfort.

INSULATED SLOTTED SCREWDRIVERS

WITH CUSHION GRIP

Available in these blade widths:

1/8" - 3/8"



INSULATED SLOTTED SCREWDRIVERS

WITH CUSHION GRIP

CAT. NO.	DESCRIPTION
S2376802	1/8" X 2"
S2376806	1/8" X 6"
S2375904	3/16" X 4"
S2375906	3/16" X 6"
S2375908	3/16" X 8"
S2375910	3/16" X 10"
S2375704	1/4" X 4"
S2375705	1/4" X 6"
S2375706	5/16" X 6"
S2375708	3/8" X 8"
S2375710	3/8" X 10"
S2375712	3/8" X 12"

INSULATED TORX SCREWDRIVERS

Available in these size ranges:

T10- T50



INSULATED TORX SCREWDRIVERS

CAT. NO.	DESCRIPTION
S2341410	T10 X 3" BLADE
S2341415	T15 X 3" BLADE
S2341420	T20 X 3" BLADE
S2341425	T25 X 3" BLADE
S2341427	T27 X 4" BLADE
S2341430	T30 X 4" BLADE
S2341440	T40 X 6" BLADE
S2341445	T45 X 6" BLADE
S2341450	T50 X 6" BLADE

A wide variety of Torx Screwdrivers are available upon request.



SCREWDRIVERS & NUTDRIVERS



INSULATED PHILLIPS OR ROBERTSON SCREWDRIVERS

WITH CUSHION GRIP

Phillips available in these sizes:

#0 X 2"
 #1 X 3"
 #2 X 1-1/2"
 #2 X 4"
 #2 X 6"
 #3 X 6"
 #4 X 8"



Robertson available in these sizes:

#1 X 4"
 #2 X 4"
 #2 X 8"
 #3 X 4"



INSULATED PHILLIPS OR ROBERTSON SCREWDRIVERS

WITH CUSHION GRIP

CAT. NO.	DESCRIPTION
S2376302	#0 X 2" PHILLIPS
S2376103	#1 X 3" PHILLIPS
S2376103A	#1 X 6" PHILLIPS
S2376102	#2 X 1-1/2" PHILLIPS
S2376104	#2 X 4" PHILLIPS
S2376105	#2 X 6" PHILLIPS
S2376105A	#2 X 8" PHILLIPS
S2376106	#3 X 6" PHILLIPS
S2376108	#4 X 8" PHILLIPS
S2377610	#1 X 4" ROBERTSON
S2377611	#1 X 8" ROBERTSON
S2377620	#2 X 4" ROBERTSON
S2377621	#2 X 8" ROBERTSON
S2377630	#3 X 4" ROBERTSON
S2377631	#3 X 8" ROBERTSON



MAGNETIC BIT TIP SCREWDRIVER

CAT. NO.	DESCRIPTION
S2742614	3/16", 1/4", #1, #2 BITS

INSULATED NUTDRIVERS

WITH CUSHION GRIP

All Salisbury Insulated Nutdrivers are two color insulated for added safety. High alloy steel blade for maximum strength and ergonomic handle for comfort.

3" lengths available in these sizes:

3/16"	5MM
1/4"	6MM
5/16"	7MM
11/32"	8MM
3/8"	9MM
7/16"	10MM
1/2"	11MM
9/16"	12MM
5/8"	

6" lengths available in these sizes:

3/16"	5MM
1/4"	6MM
5/16"	7MM
11/32"	8MM
3/8"	9MM
7/16"	10MM
1/2"	11MM
9/16"	12MM
5/8"	

INSULATED NUTDRIVERS

WITH CUSHION GRIP

CAT. NO.	DESCRIPTION
S2542010	3/16" X 3"
S2542030	1/4" X 3"
S2542050	5/16" X 3"
S2542060	11/32" X 3"
S2542070	3/8" X 3"
S2542080	7/16" X 3"
S2542090	1/2" X 3"
S2542100	9/16" X 3"
S2542110	5/8" X 3"
S2542710	5MM X 3"
S2542730	6MM X 3"
S2542750	7MM X 3"
S2542760	8MM X 3"
S2542770	9MM X 3"
S2542780	10MM X 3"
S2542790	11MM X 3"
S2542800	12MM X 3"

INSULATED NUTDRIVERS

WITH CUSHION GRIP

CAT. NO.	DESCRIPTION
S2542010L	3/16" X 6"
S2542030L	1/4" X 6"
S2542050L	5/16" X 6"
S2542060L	11/32" X 6"
S2542070L	3/8" X 6"
S2542080L	7/16" X 6"
S2542090L	1/2" X 6"
S2542100L	9/16" X 6"
S2542110L	5/8" X 6"
S2542710L	5MM X 6"
S2542730L	6MM X 6"
S2542750L	7MM X 6"
S2542760L	8MM X 6"
S2542770L	9MM X 6"
S2542780L	10MM X 6"
S2542790L	11MM X 6"
S2542800L	12MM X 6"



SCREWDRIVER & NUTDRIVER SETS



NUTDRIVER 3" LENGTH SETS WITH CUSHION GRIP

CAT. NO.	DESCRIPTION
S25921	7 TOOLS + ROLL: 3/16"; 1/4"; 5/16"; 11/32"; 3/8"; 7/16"; 1/2"
S25922	9 TOOLS + ROLL: 3/16"; 1/4"; 5/16"; 11/32"; 3/8"; 7/16"; 1/2"; 9/16"; 5/8"
S25925	METRIC SET, 8 TOOLS + ROLL: 5MM; 6MM; 7MM; 8MM; 9MM; 10MM; 11MM; 12MM

NUTDRIVER 6" LENGTH SETS WITH CUSHION GRIP

CAT. NO.	DESCRIPTION
S25922L	9 TOOLS + ROLL: 3/16"; 1/4"; 5/16"; 11/32"; 3/8"; 7/16"; 1/2"; 9/16"; 5/8"
S25925L	METRIC SET, 8 TOOLS + ROLL: 5MM; 6MM; 7MM; 8MM; 9MM; 10MM; 11MM; 12MM



SCREWDRIVER SETS WITH CUSHION GRIP

CAT. NO.	DESCRIPTION
S23871	6 TOOLS + ROLL: #1 X 3"; #2 X 4"; 1/8" X 2"; 3/16" X 6"; 1/4" X 4"; 5/16" X 6"
S23869	8 TOOLS + ROLL: #1 X 3"; #2 X 4"; 1/8" X 2"; 3/16" X 6"; 3/16" X 10"; 1/4" X 4"; 5/16" X 6"; 3/8" X 8"
S23870	10 TOOLS + ROLL: #1 X 3"; #2 X 4"; #3 X 6"; 1/8" X 2"; 3/16" X 6"; 3/16" X 10"; 1/4" X 4"; 5/16" X 6"; 3/8" X 8"; 3/8" X 12"



OPEN END WRENCH

AVAILABLE IN BOTH SAE & METRIC SIZES

SAE sizes from 1/4" - 2"

Metric sizes from 6mm - 36mm



OPEN END WRENCH

SAE SIZES

CAT. NO.	DESCRIPTION
S2488408	1/4"
S2488410	5/16"
S2488412	3/8"
S2488414	7/16"
S2488416	1/2"
S2488418	9/16"
S2488420	5/8"
S2488422	11/16"
S2488424	3/4"
S24C26	13/16"
S24C28	7/8"
S24C30	15/16"
S24C32	1"
S24C34	1-1/16"
S24C36	1-1/8"
S24C40	1-1/4"
S24C42	1-5/16"
S24C44	1-3/8"
S24C46	1-7/16"
S24C48	1-1/2"
S24C52	1-5/8"
S24C54	1-11/16"
S24C56	1-3/4"
S24C58	1-13/16"
S24C60	1-7/8"
S24C64	2"

OPEN END WRENCH

METRIC SIZES

CAT. NO.	DESCRIPTION
S248306	6 MM
S248307	7 MM
S248308	8 MM
S248309	9 MM
S248310	10 MM
S248311	11 MM
S248312	12 MM
S248313	13 MM
S248314	14 MM
S248315	15 MM
S248316	16 MM
S248317	17 MM
S248318	18 MM
S248319	19 MM
S248320	20 MM
S248321	21 MM
S248322	22 MM
S248323	23 MM
S248324	24 MM
S248325	25MM
S248326	26 MM
S248327	27 MM
S248328	28 MM
S248329	29 MM
S248330	30 MM
S248332	32 MM
S248336	36 MM

WRENCHES



BOX END WRENCH

AVAILABLE IN BOTH SAE & METRIC SIZES

12 point

SAE sizes from 1/4" - 2"

Metric sizes from 6mm - 36mm



BOX END WRENCH

SAE SIZES - 12 POINT

CAT. NO.	DESCRIPTION
S2488408-B	1/4"
S2488410-B	5/16"
S2488412-B	3/8"
S2488414-B	7/16"
S2488416-B	1/2"
S2488418-B	9/16"
S2488420-B	5/8"
S2488422-B	11/16"
S2488424-B	3/4"
S24C26-B	13/16"
S24C28-B	7/8"
S24C30-B	15/16"
S24C32-B	1"
S24C34-B	1-1/16"
S24C36-B	1-1/8"
S24C40-B	1-1/4"
S24C42-B	1-5/16"
S24C44-B	1-3/8"
S24C46-B	1-7/16"
S24C48-B	1-1/2"
S24C52-B	1-5/8"
S24C54-B	1-11/16"
S24C56-B	1-3/4"
S24C58-B	1-13/16"
S24C60-B	1-7/8"
S24C64-B	2"

BOX END WRENCH

METRIC SIZES - 12 POINT

CAT. NO.	DESCRIPTION
S248306-B	6 MM
S248307-B	7 MM
S248308-B	8 MM
S248309-B	9 MM
S248310-B	10 MM
S248311-B	11 MM
S248312-B	12 MM
S248313-B	13 MM
S248314-B	14 MM
S248315-B	15 MM
S248316-B	16 MM
S248317-B	17 MM
S248318-B	18 MM
S248319-B	19 MM
S248320-B	20 MM
S248321-B	21 MM
S248322-B	22 MM
S248323-B	23 MM
S248324-B	24 MM
S248325-B	25 MM
S248326-B	26 MM
S248327-B	27 MM
S248328-B	28 MM
S248329-B	29 MM
S248330-B	30 MM
S248332-B	32 MM
S248336-B	36 MM

RATCHETING BOX END WRENCH

AVAILABLE IN BOTH SAE & METRIC SIZES

12 point available in:

SAE sizes from 1/4" - 2-1/8"

Metric sizes from 15mm - 36mm

6 point available in:

Metric sizes from 6mm - 14mm



RATCHETING BOX END WRENCH

12 POINT SAE SIZES

CAT. NO.	DESCRIPTION
S249008	1/4"
S249010	5/16"
S249011	11/32"
S249012	3/8"
S249014	7/16"
S249016	1/2"
S249018	9/16"
S249020	5/8"
S249022	11/16"
S249024	3/4"
S249026	13/16"
S249028	7/8"
S249030	15/16"
S249032	1"
S249034	1-1/16"
S249036	1-1/8"
S249038	1-1/4"
S24RB-42	1-5/16"
S24RB-44	1-3/8"
S24RB-46	1-7/16"
S24RB-48	1-1/2"
S24RB-50	1-9/16"
S24RB-52	1-5/8"
S24RB-54	1-11/16"
S24RB-56	1-3/4"
S24RB-58	1-13/16"
S24RB-60	1-7/8"
S24RB-64	2"
S24RB-68	2-1/8"

RATCHETING BOX END WRENCH

12 POINT METRIC SIZES

CAT. NO.	DESCRIPTION
S249115	15MM 12 POINT
S249116	16MM 12 POINT
S249117	17MM 12 POINT
S249118	18MM 12 POINT
S249119	19MM 12 POINT
S249120	20MM 12 POINT
S249121	21MM 12 POINT
S249122	22MM 12 POINT
S249123	23MM 12 POINT
S249124	24MM 12 POINT
S249125	25MM 12 POINT
S249126	26MM 12 POINT
S249127	27MM 12 POINT
S249129	29MM 12 POINT
S249130	30MM 12 POINT
S249132	32MM 12 POINT
S249134	34MM 12 POINT
S249136	36MM 12 POINT


RATCHETING BOX END WRENCH

6 POINT METRIC SIZES

CAT. NO.	DESCRIPTION
S249106	6MM 6 POINT
S249107	7MM 6 POINT
S249108	8MM 6 POINT
S249109	9MM 6 POINT
S249110	10MM 6 POINT
S249111	11MM 6 POINT
S249112	12MM 6 POINT
S249113	13MM 6 POINT
S249114	14MM 6 POINT



WRENCHES



6" LONG "T" HANDLE HEX WRENCH

AVAILABLE IN BOTH SAE & METRIC SIZES

SAE sizes from 5/64" - 9/16"

Metric sizes from 2mm - 12mm

6" LONG "T" HANDLE HEX WRENCH

SAE SIZES

CAT. NO.	DESCRIPTION
S2631605	5/64"
S2631606	3/32"
S2631607	7/64"
S2631608	1/8"
S2631609	9/64"
S2631610	5/32"
S2631612	3/16"
S2631614	7/32"
S2631616	1/4"
S2631620	5/16"
S2631624	3/8"
S2651628	7/16"
S2651632	1/2"
S2651634	9/16"

6" LONG "T" HANDLE HEX WRENCH

METRIC SIZES

CAT. NO.	DESCRIPTION
S2634620	2MM
S2634625	2.5MM
S2634630	3MM
S2634640	4MM
S2634650	5MM
S2634660	6MM
S2634680	8MM
S2634690	10MM
S2654691	11MM
S2654692	12MM



ADJUSTABLE WRENCH

AVAILABLE IN SIZES FROM 4" - 24"

CAT. NO.	DESCRIPTION
S24804	4"; 1/2" JAW OPENING
S24806	6"; 15/16" JAW OPENING
S24808	8"; 1-1/8" JAW OPENING
S24810	10"; 1-5/16" JAW OPENING
S24812	12"; 1-1/2" JAW OPENING
S24815	15"; 1-11/16" JAW OPENING
S24818	18"; 2-1/16" JAW OPENING
S24824	24"; 2-7/16" JAW OPENING



ADJUSTABLE BUG WRENCH


CAT. NO.	DESCRIPTION
S2470221	8" BUG WRENCH 1/4" - 3/4" CAPACITY
S2470222	10" BUG WRENCH 3/8" - 1" CAPACITY

LONG ARM HEX WRENCH

AVAILABLE IN BOTH SAE & METRIC SIZES

SAE sizes from 1/16" - 2"

Metric sizes from 1.5mm - 36mm



LONG ARM HEX WRENCH

SAE SIZES

CAT. NO.	DESCRIPTION
S262223	1/16"
S262224	5/64"
S262225	3/32"
S262226	7/64"
S262227	1/8"
S262228	9/64"
S262229	5/32"
S262231	3/16"
S262233	7/32"
S262235	1/4"
S262239	5/16"
S262243	3/8"
S262247	7/16"
S262251	1/2"
S262255	9/16"
S262259	5/8"
S262267	3/4"
S262275	7/8"
S262283	1"
S262291	1-1/8"

SIZES UP TO 2" AVAILABLE UPON REQUEST.

LONG ARM HEX WRENCH

METRIC SIZES

CAT. NO.	DESCRIPTION
S2615603	1.5MM
S2615604	2MM
S2615605	2.5MM
S2615606	3MM
S2615607	3.5MM
S2615608	4MM
S2615609	4.5MM
S2615610	5MM
S2615611	5.5MM
S2615612	6MM
S2615614	7MM
S2615616	8MM
S2615618	9MM
S2615620	10MM
S2615622	11MM
S2615624	12MM
S2615628	14MM
S2615634	17MM
S2615638	19MM
S2615644	22MM
S2615648	24MM
S2615651	27MM
S2615656	32MM
S2615660	36MM



TORQUE WRENCHES



TORQUE WRENCH

CAT. NO.	DESCRIPTION
S22TCI150RA	1/4" DR, 9-1/2" LONG, 30-200 IN/LB (4NM-23NM)
S22TCI150RA38	3/8" DR, 10" LONG, 30-200 IN/LB (4NM-23NM)
S22TCI250RA	3/8" DR, 12-1/2" LONG, 50-250 IN/LB (6NM-29NM)
S22TCI750R	3/8" DR, 15" LONG, 100-1000 IN/LB (14NM-116NM)
S22TCI75FRN	3/8" DR, 14-1/4" LONG, 5-75 FT/LB (5NM-105NM)
S22TCI150FRN	1/2" DR, 18-1/2" LONG, 10-150 FT/LB (20NM-210NM)
S22TCI250FRN	1/2" DR, 21-1/2" LONG, 25-250 FT/LB (43NM-348NM)

A WIDE VARIETY OF TORQUE WRENCHES ARE AVAILABLE UPON REQUEST. RECALIBRATION SERVICE AVAILABLE, CONTACT CUSTOMER SERVICE FOR MORE INFORMATION.



TORQUE SCREWDRIVER

CAT. NO.	DESCRIPTION
S22TS35	1/4" DR, 6-3/8" LONG, 1-36 IN/LB
S22TS100	1/4" DR, 6-3/8" LONG, 20-100 IN/OZ



OPEN END WRENCH SETS

CAT. NO.	DESCRIPTION
S241713	13 PSC. 1/4" - 1" IN A ROLL
S241714	14 PSC. 3/8" - 1-1/4" IN A ROLL
S241814	13 PSC. 7MM - 19MM, IN A ROLL
S241818	17 PSC. 7MM - 24MM, IN A ROLL



OPEN END WRENCH SETS

CAT. NO.	DESCRIPTION
S241780	8 PSC. 1" - 1-1/2" IN A BAG
S241790	6 PSC. 1-5/8" - 2" IN A BAG



BOX END WRENCH SET

CAT. NO.	DESCRIPTION
S241713-B	13 PSC. 1/4" - 1" IN A ROLL
S241714-B	14 PSC. 3/8" - 1-1/4" IN A ROLL
S241814-B	13 PSC. 7MM - 19MM, IN A ROLL
S241818-B	17 PSC. 7MM - 24MM, IN A ROLL



BOX END WRENCH SET

CAT. NO.	DESCRIPTION
S241780-B	8 PSC. 1" - 1-1/2" IN A BAG
S241790-B	6 PSC. 1-5/8" - 2" IN A BAG



WRENCH SETS



RATCHETING BOX END WRENCH SET

CAT. NO.	DESCRIPTION
S24RB-13	13 PCS. 1/4" - 1", 12 POINT, PACKAGED IN A ROLL
S24RBM-15	15 PCS. 7MM - 21MM, PACKAGED IN A ROLL

RATCHETING BOX END WRENCH SET

CAT. NO.	DESCRIPTION
S24RB-12	15 PCS. 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-9/16", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 2", 2-1/8" 12 POINT, PACKAGED IN A BAG
S24RBM-10	10PCS. 22, 23, 24, 25, 26, 27, 29, 30, 32, 36MM PACKAGED IN A BAG

HEX WRENCH "T" HANDLE SET

CAT. NO.	DESCRIPTION
S262344	11 PCS. 5/64 - 3/8" 6" LONG, IN PLASTIC ROLL
S2613P	13 PCS 5/64 - 1/2" 6" LONG, IN PLASTIC ROLL
S2610M	10 PCS 2MM-12MM 6" LONG, IN PLASTIC ROLL

HEX WRENCH TYPE "L" SET

CAT. NO.	DESCRIPTION
S2610214	14 PCS. 1/16" - 1/2" LONG ARM, IN A ROLL
S2610217	16 PCS. 1/16" - 5/8" LONG ARM, IN A ROLL
S2610610	10 PCS. 1.5MM - 12.0MM LONG ARM, IN A ROLL
S2610614	12 PCS. 1.5MM - 17.0MM LONG ARM, IN A ROLL

FENCE TOOL

CAT. NO.	DESCRIPTION
S2185	10-1/2" OVERALL LENGTH HAMMER ON ONE JAW, STAPLE STARTER AND PULLER ON THE OTHER SIDE



S2185

LONG NEEDLE NOSE PLIER

CAT. NO.	DESCRIPTION
S2147S	4-3/4" WITH SIDE CUTTER / SPRING
S2150S	5-3/4" WITH SIDE CUTTER / SPRING
S21326	6" WITH SIDE CUTTER
S21317	7" WITH SIDE CUTTER
S21318	8" WITH SIDE CUTTER



S21318



S21337W



S21317

WIRING PLIER

CAT. NO.	DESCRIPTION
S21337W	7", CUTS AND STRIPS INSULATION



S21338

CUTTING PLIER, LAP JOINT

CAT. NO.	DESCRIPTION
S21337	7" LAP JOINT
S21338	8" LAP JOINT



S21447

CURVED CUTTING PLIER

CAT. NO.	DESCRIPTION
S21447	DIAGONAL CURVE 7-3/4" BOX JOINT

PLIERS



CUTTING PLIER, BOX JOINT

CAT. NO.	DESCRIPTION
S21435	5" BOX JOINT
S21435S	5" BOX JOINT W/SPRING
S21436	6" BOX JOINT
S21436S	6" BOX JOINT W/SPRING
S21437	7" BOX JOINT



SHORT NOSE PLIER

CAT. NO.	DESCRIPTION
S21308	8" SHEARING



BENT NEEDLE NOSE PLIER

CAT. NO.	DESCRIPTION
S2149	4-1/2"
S21386	5-1/2" WITHOUT SIDE CUTTER



END CUTTING PLIER

CAT. NO.	DESCRIPTION
S21356	6"
S21357	7"
S21358	8"



LONG REACH PLIER

CAT. NO.	DESCRIPTION	CUTTER
S21728	7-1/2" DIAGONAL	CUTTER

END CUTTING NIPPERS

CAT. NO.	DESCRIPTION
S21148-10	10"
S21148-14	14"

WATERPUMP PLIER

CAT. NO.	DESCRIPTION
S21GL6	6", 1-1/16" CAPACITY
S21GL10	9-1/2", 1-1/4" CAPACITY
S21GL12	12", 2-1/4" CAPACITY

V GROOVE PLIER

CAT. NO.	DESCRIPTION
S21422	9-1/2", 1-1/2" CAPACITY
S21442	12", 2-1/4" CAPACITY

HEAVY DUTY SLIP JOINT PLIER

CAT. NO.	DESCRIPTION
S21546	6" WITH CUTTING SHEAR
S21537	7" WITH FINE SIDE CUTTER
S21548	8" WITH CUTTING SHEAR
S215410	PLIER HOSE CLAMP SLIP JOINT 10" WITH CUTTING SHEAR

FLAT NOSE PLIER

CAT. NO.	DESCRIPTION
S2144	4-3/4"
S21D305-6	6"
S21718	LONG REACH 8"

LONG REACH END CUTTER

CAT. NO.	DESCRIPTION
S21748	8"

LONG REACH PLIER

CAT. NO.	DESCRIPTION
S21738	8"

S21GL10



S21422



S215410



S21718



S21748



S21738



PLIERS



S213248

S2112098



S21516



S21350-S



S21420

PLIER W/ SIDE CUTTERS

CAT. NO.	DESCRIPTION
S2112098	8-1/2" WITH SLEEVE-CONNECTOR CRIMPING DIE

ROUNDED NOSE PLIER

CAT. NO.	DESCRIPTION
S21346	6"
S21347	7"
S21348	8-1/2"
S21369	9" HIGH LEVERAGE
S213248	8-1/2" WITH CUTTER & CRIMPER

SLIP JOINT PLIER

CAT. NO.	DESCRIPTION
S21516	6", THIN NOSE WITH CUTTING SHEAR

LINESMAN PLIER

CAT. NO.	DESCRIPTION
S21350-S	9" WITH COILED SPRING

TONGUE & GROOVE PLIER

CAT. NO.	DESCRIPTION
S21415	10", 2" CAPACITY SMOOTH JAWS
S21424	4-1/2", 1/2" CAPACITY
S21426	6-1/2", 7/8" CAPACITY
S21420	9-1/2", 1-1/2" CAPACITY
S21430	10", 2" CAPACITY
S21440	12", 2-1/4" CAPACITY
S21460	16", 4-1/4" CAPACITY
S21480	20", 5-1/2" CAPACITY

WIRE STRIPPER-CUTTER-CRIMPER

CAT. NO.	DESCRIPTION
S2111045	FOR CUTTING STRIPPING AND LOOPING WIRE 10 - 18 GA
S21908	WIRING TOOL STRIPS WIRE WITH NO DAMAGE TO CONDUCTOR CRIMPS BOTH INSULATED AND NON-INSULATED WIRE

WIRE STRIPPER

CAT. NO.	DESCRIPTION
S2111062	AUTOMATIC WIRE STRIPPER FOR 10-22GA; 1" DEPTH. BLADES ARE AVAILABLE FOR 8-12 AWG; 16-26 AWG AND METRIC 4.0-0.5MM; AND 1.0-.015MM
S21958	WIRE STRIPPER CUTTER 10-20GA FOR COPPER, STRIPS INSULATION FAST WITH NO DAMAGE TO WIRE, CUTS COPPER WIRE CLEANLY

CRIMPING TOOL

CAT. NO.	DESCRIPTION
S21909	CRIMPING AND CUTTING TOOL
S211005	CRIMPING TOOL AND WIRE CUTTER FOR 10 TO 22 AWG

CUTTING PLIER

CAT. NO.	DESCRIPTION
S21911	CABLE CUTTER 9-1/2", CUTS UP TO 4/0 ALUMINUM AND UP TO 2/0 SOFT COPPER. IT IS NOT DESIGNED FOR STEEL OR ACSR



LONG REACH PLIERS

S21310



LONG REACH DIAGONAL CUTTERS

CAT. NO.	DESCRIPTION
S21310	11" LONG REACH DIAGONAL CUTTER WITH END CUTTER
S21311	11" LONG REACH OFFSET DIAGONAL CUTTERS

S21371



LONG REACH SLIP JOINT PLIERS

CAT. NO.	DESCRIPTION
S21371	11" LONG REACH HD SLIP JOINT PLIERS STRAIGHT
S2137145	11" LONG REACH HD SLIP JOINT PLIERS 45 DEGREE

S21372



LONG REACH SLIP JOINT CABLE GRIPPERS

CAT. NO.	DESCRIPTION
S21372	11" LONG HD SLIP JOINT CABLE GRIPPERS 3/8"
S21373	11" LONG HD SLIP JOINT CABLE GRIPPERS 3/4"

S2161190



LONG REACH NEEDLE NOSE

CAT. NO.	DESCRIPTION
S21611	11" LONG REACH NEEDLE NOSE STRAIGHT
S2161145	11" LONG REACH NEEDLE NOSE 45 DEGREE BENT NOSE
S2161190	11" LONG REACH NEEDLE NOSE 90 DEGREE BENT NOSE

S21510



LONG REACH CABLE GRIPPING PLIERS

CAT. NO.	DESCRIPTION
S21510	11" LONG 5/16 OD CABLE GRIPPING PLIERS
S21512	11" LONG 1/2 OD CABLE GRIPPING PLIERS
S21514	11" LONG 3/4 OD CABLE GRIPPING PLIERS

LONG REACH THIN PROFILE ELECTRONICS PLIERS

LONG REACH CHAIN NOSE

CAT. NO.	DESCRIPTION
S214044	6" LONG REACH CHAIN NOSE W/CUTTER SMOOTH JAWS THIN PROFILE



S214044

LONG REACH OVAL HEAD

CAT. NO.	DESCRIPTION
S214046	5.5" LONG REACH OVAL HEAD SEMI FLUSH DIAGONAL THIN PROFILE



S214046

LONG REACH FLAT NOSE

CAT. NO.	DESCRIPTION
S214050	6" LONG REACH FLAT NOSE NON-SERRATED THIN PROFILE



S214050

LONG REACH THIN HEAD

CAT. NO.	DESCRIPTION
S214052	5.5" LONG REACH THIN HEAD SEMI FLUSH DIAGONAL THIN PROFILE



S214052

LONG REACH NEEDLE NOSE

CAT. NO.	DESCRIPTION
S214048	7" LONG REACH THIN NEEDLE NOSE NON-SERRATED THIN PROFILE
S214054	7" LONG REACH BENT NEEDLE NOSE NON-SERRATED THIN PROFILE



S214048

PLIERS

S2163060



RATCHETING CABLE CUTTER

CAT. NO.	DESCRIPTION
S2163060	600MCM ALUM 400MCM COPPER
S215090FS	750MCM ALUM 500MCM COPPER

S210190



BOLT CUTTER

CAT. NO.	DESCRIPTION
S210090	18" CUTS 3/8" SOFT/MEDIUM MATERIAL, 1/4" HARD MATERIAL
S210190	24" CUTS 7/16" SOFT/MEDIUM MATERIAL, 5/16" HARD MATERIAL
S210290	30" CUTS 1/2" SOFT/MEDIUM MATERIAL, 3/8" HARD MATERIAL
S210390	36" CUTS 9/16" SOFT/MEDIUM MATERIAL, 7/16" HARD MATERIAL
S210590	42" CUTS 11/16" SOFT/MEDIUM MATERIAL, 1/2" HARD MATERIAL


S211202R



SNAP RING PLIER

CAT. NO.	DESCRIPTION
S211202R	.038" TIP DIAMETER
S21120245R	45DEG .038" TIP DIAMETER
S21120290R	90DEG .038" TIP DIAMETER
S213202R	.047" TIP DIAMETER
S21320245R	45DEG .047" TIP DIAMETER
S21320290R	90DEG .047" TIP DIAMETER
S213402R	.070" TIP DIAMETER
S21340245R	45DEG .070" TIP DIAMETER
S21340290R	90DEG .070" TIP DIAMETER
S215602R	.090" TIP DIAMETER
S21560245R	45DEG .090" TIP DIAMETER
S21560290R	90DEG .090" TIP DIAMETER

Tip Configurations



0°



45°



90°

Use with either external or internal retaining rings.

CABLE CUTTER

CAT. NO.	DESCRIPTION
S2163035	17" FOR UP TO 1" COAX CABLE CUTS SOFT COPPER AND ALUMINUM CABLE UP TO 350 MCM, DROP-FORGED STEEL, SHEAR-TYPE HOOK JAWS GRAB AND HOLD CABLE
S2163041	25" 1-3/8" CUTTING CAPACITY CUTS 500 COPPER, 750 ALUMINUM SOFT CABLE. NOT DESIGNED FOR CUTTING STEEL OR ACSR.



CABLE CUTTER

CAT. NO.	DESCRIPTION
S2163035-RING	FOR UP TO 1" COAX CABLE CUTS SOFT COPPER AND ALUMINUM CABLE UP TO 350 MCM; DROP-FORGED STEEL; SHEAR-TYPE HOOK JAWS GRAB AND HOLD CABLE; WITH GUIDANCE RING

HACKSAW

CAT. NO.	DESCRIPTION
S30602VSE	12" HACKSAW FRAME



CABLE CUTTING PLIER

CAT. NO.	DESCRIPTION
S2163030	9-1/2"
S2163055-RING	8" CUTS 24 AWG COOPER, ALUMINUM MULTI-STRAND CABLE AND WIRE; WITH GUIDANCE RING



CABLE SHEAR

CAT. NO.	DESCRIPTION
S2163041-RING	25", 1-3/8" CUTTING CAPACITY, CUTS 500 COPPER, 750 ALUMINUM, SOFT CABLE: 1-3/8" DIAMETER; WITH GUIDANCE RING. NOT DESIGNED FOR CUTTING STEEL OR ACSR

SOCKETS - 1/4" DRIVE



STANDARD OR DEEP SOCKET

1/4" DRIVE, 12 POINT SOCKET

Available in both SAE & Metric sizes.

STANDARD SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2043906	3/16"
S2043907	7/32"
S2043908	1/4"
S2043909	9/32"
S2043910	5/16"
S2043911	11/32"
S2043912	3/8"
S2043914	7/16"
S2043916	1/2"
S2043918	9/16"

DEEP SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2044906	3/16"
S2044907	7/32"
S2044908	1/4"
S2044909	9/32"
S2044910	5/16"
S2044911	11/32"
S2044912	3/8"
S2044914	7/16"
S2044916	1/2"
S2044918	9/16"

STANDARD SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S2040701	4MM 6 POINT
S2043702	5MM
S2043703	5.5MM
S2043704	6MM
S2043706	7MM
S2043707	8MM
S2043708	9MM
S2043709	10MM
S2043710	11MM
S2043711	12MM
S2043712	13MM
S2043713	14MM
S2040714	15MM 6 POINT

DEEP SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S2041697	4MM 6 POINT
S2044702	5MM
S2044703	5.5MM
S2044704	6MM
S2044706	7MM
S2044707	8MM
S2044708	9MM
S2044709	10MM
S2044710	11MM
S2044711	12MM
S2044712	13MM
S2044713	14MM
S2041711	15MM 6 POINT

STANDARD OR DEEP SOCKET

3/8" DRIVE, 12 POINT SOCKET

Available in both SAE & Metric sizes.



STANDARD SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2045208	1/4"
S2045210	5/16"
S2045212	3/8"
S2045214	7/16"
S2045216	1/2"
S2045218	9/16"
S2045120	5/8"
S2045122	11/16"
S2045124	3/4"
S2045126	13/16"
S2045128	7/8"
S2045130	15/16"
S2045132	1"

DEEP SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2042408	1/4"
S2042410	5/16"
S2042412	3/8"
S2042414	7/16"
S2042416	1/2"
S2042418	9/16"
S2042420	5/8"
S2042422	11/16"
S2042424	3/4"
S2042426	13/16"
S2042428	7/8"
S2042430	15/16"
S2042432	1"

STANDARD SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S20306	6MM 6 POINT
S202307	7MM
S202308	8MM
S202309	9MM
S202310	10MM
S202311	11MM
S202312	12MM
S202313	13MM
S202314	14MM
S202315	15MM
S202316	16MM
S202317	17MM
S202318	18MM
S202319	19MM
S202320	20MM
S202321	21MM
S202322	22MM
S202323	23MM
S202324	24MM

DEEP SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S208406	6MM 6 POINT
S208407	7MM 6 POINT
S208408	8MM 6 POINT
S208429	9MM
S208430	10MM
S208431	11MM
S208432	12MM
S208433	13MM
S208434	14MM
S208435	15MM
S208436	16MM
S208437	17MM
S208438	18MM
S208439	19MM
S208420	20MM 6 POINT
S208421	21MM 6 POINT
S208422	22MM 6 POINT
S208423	23MM 6 POINT
S208424	24MM 6 POINT
S208425	25MM 6 POINT
S208426	26MM 6 POINT

SOCKETS - 1/2" DRIVE

STANDARD OR DEEP SOCKET

1/2" DRIVE, 12 POINT SOCKET

Available in both SAE & Metric sizes.



STANDARD SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2040212	3/8"
S2040214	7/16"
S2040216	1/2"
S2040218	9/16"
S2040120	5/8"
S2040122	11/16"
S2040124	3/4"
S2040126	13/16"
S2040128	7/8"
S2040130	15/16"
S2040132	1"
S2040134	1-1/16"
S2040136	1-1/8"
S2040138	1-3/16"
S2040140	1-1/4"
S2040142	1-5/16"
S2040144	1-3/8"
S2040146	1-7/16"
S2040148	1-1/2"

STANDARD SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S2040309	9MM
S2040310	10MM
S2040311	11MM
S2040312	12MM
S2040313	13MM
S2040314	14MM
S2040315	15MM
S2040316	16MM
S2040317	17MM
S2040318	18MM
S2040319	19MM
S2040320	20MM
S2040321	21MM
S2040322	22MM
S2040323	23MM
S2040324	24MM
S2040325	25MM
S2040326	26MM
S2040327	27MM
S2040328	28MM
S2040329	29MM
S2040330	30MM
S2040331	31MM
S2040332	32MM
S2040336	36MM

DEEP SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2040812	3/8"
S2040814	7/16"
S2040816	1/2"
S2040818	9/16"
S2040820	5/8"
S2040822	11/16"
S2040824	3/4"
S2040826	13/16"
S2040828	7/8"
S2040830	15/16"
S2040832	1"
S2040834	1-1/16"
S2040836	1-1/8"
S2040838	1-3/16"
S2040840	1-1/4"
S2040842	1-5/16"
S2040844	1-3/8"
S2040846	1-7/16"
S2040848	1-1/2"

DEEP SOCKET


METRIC SIZES

CAT. NO.	DESCRIPTION
S2048010	10MM
S2048011	11MM
S2048012	12MM
S2048013	13MM
S2048014	14MM
S2048015	15MM
S2048016	16MM
S2048017	17MM
S2048018	18MM
S2048019	19MM
S2048020	20MM
S2048021	21MM
S2048022	22MM
S2048023	23MM
S2048024	24MM
S2048025	25MM
S2048026	26MM
S2048027	27MM
S2048028	28MM
S2048030	30MM
S2048032	32MM

STANDARD SOCKET

3/4" DRIVE, 12 POINT SOCKET

Available in both SAE & Metric sizes.



STANDARD SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2047124	3/4"
S2047126	13/16"
S2047128	7/8"
S2047130	15/16"
S2047132	1"
S2047134	1-1/16"
S2047136	1-1/8"
S2047138	1-3/16"
S2047140	1-1/4"
S2047142	1-5/16"
S2047144	1-3/8"
S2047146	1-7/16"
S2047148	1-1/2"
S2047150	1-9/16"
S2047152	1-5/8"
S2047154	1-11/16"
S2047156	1-3/4"
S2047158	1-13/16"
S2047160	1-7/8"
S2047164	2"
S2047166	2-1/16"
S2047168	2-1/8"
S2047171	2-3/16"
S2047172	2-1/4"
S2047176	2-3/8"

STANDARD SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S2048122	22MM
S2048123	23MM
S2048124	24MM
S2048126	26MM
S2048127	27MM
S2048128	28MM
S2048129	29MM
S2048130	30MM
S2048132	32MM
S2048133	33MM
S2048135	35MM
S2048136	36MM
S2048138	38MM
S2048140	40MM
S2048141	41MM
S2048142	42MM
S2048146	46MM
S2048150	50MM
S2048154	54MM
S2048155	55MM



RATCHET & SOCKET ACCESSORIES



FLEX HEAD HANDLES

CAT. NO.	DESCRIPTION
S2040952	1/4" DRIVE FLEX HEAD HANDLE 5.4"
S2045152	3/8" DRIVE FLEX HEAD HANDLE 10"
S2041650	1/2" DRIVE FLEX HEAD HANDLE 9"
S2041652	1/2" DRIVE FLEX HEAD HANDLE 16"
S2041654	1/2" DRIVE FLEX HEAD HANDLE 24"
S2047155	3/4" DRIVE FLEX HEAD HANDLE 18"

RATCHETS

CAT. NO.	DESCRIPTION
S2040970NB	1/4" DRIVE RATCHET 4.5" NO BOOT
S2040970	1/4" DRIVE RATCHET 4.5"
S2040971	1/4" DRIVE RATCHET 6.5"
S2045170NB	3/8" DRIVE RATCHET 7.6" NO BOOT
S2045170	3/8" DRIVE RATCHET 7.6"
S2045179	3/8" DRIVE RATCHET 10.3"
S2045174	3/8" DRIVE RATCHET STUBBY 4.8"
S2042470NB	1/2" DRIVE RATCHET 10.3" NO BOOT
S2042470	1/2" DRIVE RATCHET 10.3"
S2040170	1/2" DRIVE RATCHET 15"
S2047170	3/4" DRIVE RATCHET 18"

"T" SOCKET DRIVER

CAT. NO.	DESCRIPTION
S2045850	6" "T"-SOCKET DRIVER, 3/8" DRIVE
S2045851	12" "T"-SOCKET DRIVER, 3/8" DRIVE
S2041950	6" "T"-SOCKET DRIVER, 1/2" DRIVE
S2041951	12" "T"-SOCKET DRIVER, 1/2" DRIVE


ADAPTERS

CAT. NO.	DESCRIPTION
S20384	ADAPTER 3/8" F - 1/4"M
S20385	ADAPTER 1/4" F - 3/8"M
S20451	ADAPTER 3/8" F - 1/2"M
S20401	ADAPTER 1/2" F - 3/8"M
S20407	ADAPTER 1/2" F - 3/4"M
S20409	ADAPTER 3/4" F - 1/2"M

EXTENSIONS

AVAILABLE IN 1/4", 3/8", 1/2", AND 3/4" DRIVES

EXTENSIONS ARE AVAILABLE IN FLARE NOSE STYLE FOR USE ON NON-BOOTED SOCKETS.



EXTENSIONS

CAT. NO.	DESCRIPTION
S2040961	1/4" DRIVE EXTENSION 2"
S2040963	1/4" DRIVE EXTENSION 3"
S2040962	1/4" DRIVE EXTENSION 6"
S2040968	1/4" DRIVE EXTENSION 8"
S2040969	1/4" DRIVE EXTENSION 10"
S2040964	1/4" DRIVE EXTENSION 14"
S2045159	3/8" DRIVE EXTENSION 1.5"
S2045160	3/8" DRIVE EXTENSION 3"
S2045161	3/8" DRIVE EXTENSION 6"
S2045158	3/8" DRIVE EXTENSION 9"
S2045162	3/8" DRIVE EXTENSION 12"
S2045163	3/8" DRIVE EXTENSION 18"
S2045164	3/8" DRIVE EXTENSION 24"
S2045149	3/8" DRIVE EXTENSION 35"
S2040160	1/2" DRIVE EXTENSION 2"
S2040161	1/2" DRIVE EXTENSION 5"
S2040162	1/2" DRIVE EXTENSION 10"
S2040163	1/2" DRIVE EXTENSION 20"
S2047159	3/4" DRIVE EXTENSION 3"
S2047163	3/4" DRIVE EXTENSION 5"
S2047161	3/4" DRIVE EXTENSION 8"
S2047162	3/4" DRIVE EXTENSION 16"

EXTENSIONS WITH FLARE END

CAT. NO.	DESCRIPTION
S2040961FN	1/4" DRIVE EXTENSION 2"
S2040963FN	1/4" DRIVE EXTENSION 3"
S2040962FN	1/4" DRIVE EXTENSION 6"
S2040968FN	1/4" DRIVE EXTENSION 8"
S2040969FN	1/4" DRIVE EXTENSION 10"
S2040964FN	1/4" DRIVE EXTENSION 14"
S2045159FN	3/8" DRIVE EXTENSION 1.5"
S2045160FN	3/8" DRIVE EXTENSION 3"
S2045161FN	3/8" DRIVE EXTENSION 6"
S2045158FN	3/8" DRIVE EXTENSION 9"
S2045162FN	3/8" DRIVE EXTENSION 12"
S2045163FN	3/8" DRIVE EXTENSION 18"
S2045164FN	3/8" DRIVE EXTENSION 24"
S2045149FN	3/8" DRIVE EXTENSION 35"
S2040160FN	1/2" DRIVE EXTENSION 2"
S2040161FN	1/2" DRIVE EXTENSION 5"
S2040162FN	1/2" DRIVE EXTENSION 10"
S2040163FN	1/2" DRIVE EXTENSION 20"
S2047159FN	3/4" DRIVE EXTENSION 3"
S2047163FN	3/4" DRIVE EXTENSION 5"
S2047161FN	3/4" DRIVE EXTENSION 8"
S2047162FN	3/4" DRIVE EXTENSION 16"

FIBERGLASS EXTENSIONS

AVAILABLE IN 3/8" AND 1/2" DRIVES

CAT. NO.	DESCRIPTION
S2045161FB	EXTENSION 6" 3/8" DRIVE
S2045162FB	EXTENSION 12" 3/8" DRIVE
S2040164FB	EXTENSION 6" 1/2" DRIVE
S2040165FB	EXTENSION 12" 1/2" DRIVE



FIBERGLASS EXTENSIONS ARE TESTED AT 80 FT./LBS., DO NOT EXCEED 60 FT. / LBS.



RATCHET & SOCKET ACCESSORIES



Phillips
Screwdriver Bit
Socket



Slotted
Screwdriver Bit
Socket



1/4" DRIVE SCREWDRIVER BIT SOCKETS

SLOTTED AND PHILLIPS

Available in these size ranges:

Slotted - 3/16" - 5/16"
Phillips - #0 - #3

CAT. NO.	DESCRIPTION
S2044470	SLOTTED 1F - 2R
S2044471	SLOTTED 2F - 3R
S2044472	SLOTTED 4F - 5R
S2044473	SLOTTED 6F - 8R
S2044480	PHILLIPS #0
S2044481	PHILLIPS #1
S2044482	PHILLIPS #2
S2044483	PHILLIPS #3
S2044570	6" LONG SLOTTED 1F-2R
S2044571	6" LONG SLOTTED 2F-3R
S2044572	6" LONG SLOTTED 4F-5R
S2044573	6" LONG SLOTTED 6F-8R
S2044581	6" LONG PHILLIPS #1
S2044582	6" LONG PHILLIPS #2
S2044883	6" LONG PHILLIPS #3

3/8" DRIVE SCREWDRIVER BIT SOCKETS

SLOTTED AND PHILLIPS

Available in these size ranges:

Slotted - 3F-4R - 12F-16R
Phillips - #1 - #4

CAT. NO.	DESCRIPTION
S2045471	SLOTTED 3F - 4R
S2045472	SLOTTED 4F - 5R
S2045473	SLOTTED 5F - 6R
S2045474	SLOTTED 8F - 12R
S2045475	SLOTTED 12F - 16R
S2045481	PHILLIPS #1
S2045482	PHILLIPS #2
S2045483	PHILLIPS #3
S2045484	PHILLIPS #4
S2045671	6" LONG SLOTTED 3F - 4R
S2045672	6" LONG SLOTTED 4F - 5R
S2045673	6" LONG SLOTTED 5F - 6R
S2045674	6" LONG SLOTTED 8F - 12R
S2045675	6" LONG SLOTTED 12F - 16R
S2045681	6" LONG PHILLIPS #1
S2045682	6" LONG PHILLIPS #2
S2045683	6" LONG PHILLIPS #3
S2045684	6" LONG PHILLIPS #4

1/4" DRIVE TORX BIT & TAMPER-PROOF TORX SOCKET

Available in these size ranges:

T8 - T27 4" long

1/4" TORX BIT SOCKET


CAT. NO.	DESCRIPTION
S2042908	T8
S2042910	T10
S2042915	T15
S2042920	T20
S2042925	T25
S2042927	T27
S2042930	T30
S2042958	T8 4" LONG
S2042960	T10 4" LONG
S2042965	T15 4" LONG
S2042970	T20 4" LONG
S2042975	T25 4" LONG
S2042977	T27 4" LONG

1/4" TAMPER-PROOF TORX BIT SOCKET


CAT. NO.	DESCRIPTION
S2042507	T7
S2042508	T8
S2042510	T10
S2042515	T15
S2042520	T20
S2042525	T25
S2042527	T27
S2042530	T30



Torx Screwdriver Bit Socket



Tamper-Proof Torx Screwdriver Bit Socket



3/8" DRIVE TORX BIT & TAMPER-PROOF TORX SOCKET

Available in these size ranges:

T40 - T50 extra long

3/8" TORX BIT SOCKET

CAT. NO.	DESCRIPTION
S2045540	T40
S2045545	T45
S2045547	T47
S2045550	T50
S2045555	T55
S2042580	T30 4" LONG
S2042590	T40 4" LONG
S2042595	T45 4" LONG
S2042600	T50 4" LONG
S2042640	T40 6" LONG
S2042645	T45 6" LONG
S2042650	T50 6" LONG
S2042655	T55 6" LONG

3/8" TAMPER-PROOF TORX BIT SOCKET

CAT. NO.	DESCRIPTION
S2045440	T40
S2045445	T45
S2045450	T50
S2045455	T55
S2044205	5/64
S2044206	3/32
S2044207	7/64
S2044208	1/8
S2044209	9/64
S2044210	5/32
S2044212	3/16
S2044214	7/32
S2044216	1/4

1/2" DRIVE TORX BIT SOCKET

Available in this size:

T60 - T70

1/2" TORX BIT SOCKET

CAT. NO.	DESCRIPTION
S2045560	T60
S2045565	T70

TAMPER-PROOF TORX BIT SOCKET


Available in this size:

T60 - T70

1/2" TORX BIT SOCKET

CAT. NO.	DESCRIPTION
S2045570	T60
S2045580	T70

RATCHET & SOCKET ACCESSORIES



Hex Screwdriver Bit Socket

1/4" DRIVE HEX BIT SOCKET

AVAILABLE IN BOTH SAE & METRIC SIZES.

Available in these size ranges:

1/16" - 1/4"
2mm - 6mm

1/4" HEX BIT SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2044304	1/16"
S2044305	5/64"
S2044306	3/32"
S2044307	7/64"
S2044308	1/8"
S2044309	9/64"
S2044310	5/32"
S2044312	3/16"
S2044314	7/32"
S2044316	1/4"

1/4" HEX BIT SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S2044324	2MM
S2044325	2.5MM
S2044326	3MM
S2044327	4MM
S2044328	5MM
S2044330	6MM

1/2" DRIVE HEX BIT SOCKET

AVAILABLE IN BOTH SAE & METRIC SIZES.

Available in these size ranges:

5/16" - 3/4"
12mm - 19mm

1/2" HEX BIT SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2041213	5/16"
S2041214	3/8"
S2041215	7/16"
S2041216	1/2"
S2041218	9/16"
S2041220	5/8"
S2041221	11/16"
S2041222	3/4"
S2041613	5/16" 6" LONG
S2041614	3/8" 6" LONG
S2041615	7/16" 6" LONG
S2041266	1/2" 6" LONG
S2041268	9/16" 6" LONG
S2041270	5/8" 6" LONG
S2041621	11/16" 6" LONG
S2041622	3/4" 6" LONG

1/2" HEX BIT SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S2041412	12MM
S2041413	13MM
S2041414	14MM
S2041416	16MM
S2041417	17MM
S2041419	19MM
S2041462	12MM 6" LONG
S2041463	13MM 6" LONG
S2041464	14MM 6" LONG
S2041466	16MM 6" LONG
S2041467	17MM 6" LONG
S2041469	19MM 6" LONG

3/8" DRIVE HEX BIT SOCKET

AVAILABLE IN BOTH SAE & METRIC SIZES.

Available in these size ranges:

1/16" - 1/2"
2mm - 12mm

3/8" HEX BIT SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2041201	1/16"
S2041202	5/64"
S2041203	3/32"
S2041204	7/64"
S2041205	1/8"
S2041206	9/64"
S2041207	5/32"
S2041208	3/16"
S2041209	7/32"
S2041210	1/4"
S2041310	9/32"
S2041211	5/16"
S2041212	3/8"
S2041225	7/16"
S2041226	1/2"
S2045904	1/8" 6" LONG
S2045905	5/32" 6" LONG
S2045906	3/16" 6" LONG
S2045907	7/32" 6" LONG
S2045908	1/4" 6" LONG
S2045909	9/32" 6" LONG
S2045910	5/16" 6" LONG
S2045912	3/8" 6" LONG
S2045913	7/16" 6" LONG
S2045914	1/2" 6" LONG

3/8" HEX BIT SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S2041400	2MM
S2041401	2.5MM
S2041402	3MM
S2041403	4MM
S2041404	5MM
S2041405	6MM
S2041406	7MM
S2041407	8MM
S2041408	9MM
S2041409	10MM
S2041410	11MM
S2041411	12MM
S2041502	3MM 6" LONG
S2041503	4MM 6" LONG
S2041504	5MM 6" LONG
S2041505	6MM 6" LONG
S2041506	7MM 6" LONG
S2041507	8MM 6" LONG
S2041508	9MM 6" LONG
S2041509	10MM 6" LONG
S2041510	11MM 6" LONG
S2041511	12MM 6" LONG



RATCHET & SOCKET SETS



S102

BATTERY TORQUE SET

CAT. NO.	DESCRIPTION
S102	4 PCS. INCLUDES: 3/8" DR TORQUE RATCHET 10" LONG 30-150 IN/LB, 7" FIBERGLASS EXTENSION, 1/2" BOX WRENCH 1/2" REGULAR SOCKET 6PT IN A PLASTIC BOX



S104

SOCKET SET 3/8" DRIVER DEEP SET

CAT. NO.	DESCRIPTION
S103	11 PCS. INCLUDES: 3/8" REVERSIBLE RATCHET, 3" AND 6" EXTENSION, DEEP SOCKETS 12PT: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, AND 13/16" IN A FITTED PLASTIC CASE
S103-ST	11 PCS. REGULAR SOCKET, 3/8 DR
S104	16 PCS. INCLUDES: RATCHET, 3" AND 6" EXTENSION, DEEP SOCKETS 12PT: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, AND 1" IN A FITTED PLASTIC CASE
S105	METRIC 14 PCS. INCLUDES: RATCHET, 3" AND 6" EXTENSION, DEEP SOCKETS 12PT: 9MM TO 19MM IN A FITTED PLASTIC CASE
S106	METRIC 24 PCS. INCLUDES: RATCHET, 3" AND 6" EXTENSION, DEEP SOCKETS 6 AND 12PT: 6MM TO 26MM IN A FITTED PLASTIC CASE
S601	13 PCS. DEEP SOCKET KIT, 1/4 TO 13/16; 3/8 DR, IN CUSTOM BOX



S602



Tool Roll
Included

ALLEN SOCKET SET

CAT. NO.	DESCRIPTION
S602	14 TOOLS + ROLL, 3/8 DR 1/8" TO 1/2" IN CUSTOM BOX, INCLUDES: 3/8" REVERSIBLE RATCHET, 3" AND 6" EXTENSION
S602M	METRIC 13PCS 3MM-12MM HEX BIT 3/8" DR.
S603	ALLEN SOCKET KIT INCLUDES: 15 TOOLS +ROLL 3/8"DR 1/16"-3/8"IN CUSTOM ROLL INCLUDES 3/8" REVERSIBLE RATCHET, 3" AND 6" EXTENSION

CLOSE QUARTERS SOCKET SET

CAT. NO.	DESCRIPTION
S204946	1/4" DR 13 PCS. INCLUDES: 1/4" RATCHET, 3" & 6" FLARED EXTENSIONS, REGULAR SOCKETS 12PT: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, AND 9/16" PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES
S204653	3/8" DR 16 PCS. INCLUDES: 3/8" RATCHET, 3" & 6" FLARED EXTENSIONS, REGULAR SOCKETS 12PT: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, AND 1" PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES
S204121	1/2" DR 21 PCS. INCLUDES: 1/2" RATCHET, 5" FLARED EXTENSION, REGULAR SOCKETS 12PT: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, AND 1-1/2" PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES
S204122	3/4" DR 27 PCS. INCLUDES: 3/4" RATCHET, 5" FLARED EXTENSION, REGULAR SOCKETS 12PT: 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-9/16, 1-5/8, 1-11/16, 1-3/4, 1-13/16, 1-7/8, 2, 2-1/16, 2-1/8, 2-3/16, 2-1/4, AND 2-3/8" PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES
S201340	1/4" DR 13 PCS. INCLUDES: 1/4" RATCHET, 3" & 6" FLARED EXTENSIONS, REGULAR SOCKETS 12PT: 5MM TO 14MM PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES
S2089023	3/8" DR 16 PCS. INCLUDES: 3/8" RATCHET, 3" & 6" FLARED EXTENSIONS, REGULAR SOCKETS 12PT: 7MM TO 19MM PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES
S201919	1/2" DR 21 PCS. INCLUDES: 1/2" RATCHET, 5" FLARED EXTENSION, REGULAR SOCKETS 12PT: 10MM TO 28MM PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES
S2094712E	3/4" DR 22 PCS. INCLUDES: 3/4" RATCHET, 5" FLARED EXTENSION, REGULAR SOCKETS 12PT: 22, 23, 24, 26, 27, 28, 29, 30, 32, 33, 35, 36, 38, 40, 41, 42, 46, 50, 54, 55MM PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES



SPECIALIZED TOOLS



ADJUSTABLE MAGNETS

CAT. NO.	DESCRIPTION
S302375	RETRIEVING TOOL 18"

SCREWSTARTERS

CAT. NO.	DESCRIPTION
ULL-N-4	SLOTTED
ULL-PN-12	PHILLIPS

POCKET MAGNETS

CAT. NO.	DESCRIPTION
S30385	6" LONG

ACCESSORIES

CAT. NO.	DESCRIPTION
S30PFP-1	FUSE PULLER
SIP-LIGHT	WATERPROOF FLASHLIGHT
S90001	PENTA WRENCH
KN985313	DISMANTLING KNIFE

HOOK & PICK

CAT. NO.	DESCRIPTION
S3042996	4 PC. PICK & HOOK SET; STRAIGHT PICK, 90 DEG. HOOK, ROUND HOOK & COMPOUND BEND PICK
S3042996-1	STRAIGHT PICK
S3042996-2	90 DEG
S3042996-3	ROUND
S3042996-4	COMPOUND BEND PICK

BOXES AND ROLLS

CAT. NO.	DESCRIPTION
BOX-TK30	TK30 BOX WITH FOAM INSERT
BOX-TK60	TK60 BOX
BOX-PB-16	16" TOOL BOX
ROLL-04	ROLL 10 POCKETS FOR SCREWDRIVERS AND NUTDRIVERS
ROLL-05	ROLL 9 POCKETS (4 FOR PLIERS AND 5 FOR SCREWDRIVERS) FOR TK9
ROLL-06	ROLL 18 POCKETS FOR L HEX WRENCHES
ROLL-08	ROLL 13 POCKETS FOR "T" TYPE HEX WRENCH
ROLL-10	ROLL 18 POCKETS FOR BOX AND OPEN WRENCHES
ROLL-11	SOCKET KIT ROLL

DOUBLE END PICKUP MAGNET

CAT. NO.	DESCRIPTION
S27300-6	6" DOUBLE ENDED PICKUP MAGNET 5LBS AND 1-1/2LBS PULLING CAPACITY
S27300-12	12" DOUBLE ENDED PICKUP MAGNET 5LBS AND 1-1/2LBS PULLING CAPACITY
S27300-18	18" DOUBLE ENDED PICKUP MAGNET 5LBS AND 1-1/2LBS PULLING CAPACITY

CAPABLE OF RETRIEVING STEEL PARTS AND FASTENERS FROM 1-1/2LB TO 5LB FROM HARD TO REACH PLACES. ALL SIP MAGNETS ARE MADE OF ALNICO MATERIAL.

DOUBLE END SCREW STARTERS


CAT. NO.	DESCRIPTION
S27400-6	6" DOUBLE END SCREW STARTER PHILLIPS AT ONE END AND SLOTTED AT THE OPPOSITE END
S27400-12	12" DOUBLE END SCREW STARTER PHILLIPS AT ONE END AND SLOTTED AT THE OPPOSITE END
S27400-18	18" DOUBLE END SCREW STARTER PHILLIPS AT ONE END AND SLOTTED AT THE OPPOSITE END

SLOTTED SCREW STARTER WITH MAGNET

CAT. NO.	DESCRIPTION
S27500-6	6" SLOTTED SCREW STARTER WITH 1-1/2LBS PICKUP MAGNET ON OPPOSITE SIDE
S27500-12	12" SLOTTED SCREW STARTER WITH 1-1/2LBS PICKUP MAGNET ON OPPOSITE SIDE
S27500-18	18" SLOTTED SCREW STARTER WITH 1-1/2LBS PICKUP MAGNET ON OPPOSITE SIDE

PHILLIPS SCREW STARTER WITH MAGNET

CAT. NO.	DESCRIPTION
S27700-6	6" PHILLIPS SCREW STARTER WITH 1-1/2LBS PICKUP MAGNET ON OPPOSITE SIDE
S27700-12	12" PHILLIPS SCREW STARTER WITH 1-1/2LBS PICKUP MAGNET ON OPPOSITE SIDE
S27700-18	18" PHILLIPS SCREW STARTER WITH 1-1/2LBS PICKUP MAGNET ON OPPOSITE SIDE



NON-CONDUCTIVE TOOLS



Pickup Magnet with
1-1/2 LBS Pulling Capacity
at each mirror end



INSPECTION - MIRRORS

CAT. NO.	DESCRIPTION
S276A2-6	7/8" CIRCULAR MIRROR, 6" OAL WITH PICKUP MAGNET 1-1/2LBS PULLING CAPACITY AT THE OTHER END
S276A2-12	7/8" CIRCULAR MIRROR, 12" OAL WITH PICKUP MAGNET 1-1/2LBS PULLING CAPACITY AT THE OTHER END
S276A2-18	7/8" CIRCULAR MIRROR, 18" OAL WITH PICKUP MAGNET 1-1/2LBS PULLING CAPACITY AT THE OTHER END
S276E2-6	1-1/4" CIRCULAR MIRROR, 6" OAL WITH PICKUP MAGNET 1-1/2LBS PULLING CAPACITY
S276E2-12	1-1/4" CIRCULAR MIRROR, 12" OAL WITH PICKUP MAGNET 1-1/2LBS PULLING CAPACITY
S276E2-18	1-1/4" CIRCULAR MIRROR, 18" OAL WITH PICKUP MAGNET 1-1/2LBS PULLING CAPACITY
S276C2-6	2-1/4" CIRCULAR MIRROR, 6" OAL WITH PICKUP MAGNET 1-1/2LBS PULLING CAPACITY AT THE OTHER END
S276C2-12	2-1/4" CIRCULAR MIRROR, 12" OAL WITH PICKUP MAGNET 1-1/2LBS PULLING CAPACITY AT THE OTHER END
S276C2-18	2-1/4" CIRCULAR MIRROR, 18" OAL WITH PICKUP MAGNET 1-1/2LBS PULLING CAPACITY AT THE OTHER END
S276S2-6	3-1/4" CIRCULAR MIRROR, 6" OAL WITH PICKUP MAGNET 1-1/2LBS PULLING CAPACITY AT THE OTHER END
S276S2-12	3-1/4" CIRCULAR MIRROR, 12" OAL WITH PICKUP MAGNET 1-1/2LBS PULLING CAPACITY AT THE OTHER END
S276S2-18	3-1/4" CIRCULAR MIRROR, 18" OAL WITH PICKUP MAGNET 1-1/2LBS PULLING CAPACITY AT THE OTHER END
S276K2-6	2-1/4 X 3-1/2" RECTANGULAR MIRROR, 6" OAL WITH PICKUP MAGNET 1-1/2LBS PULLING CAPACITY
S276K2-12	2-1/4 X 3-1/2" RECTANGULAR MIRROR, 12" OAL WITH PICKUP MAGNET 1-1/2LBS PULLING CAPACITY
S276K2-18	2-1/4 X 3-1/2" RECTANGULAR MIRROR, 18" OAL WITH PICKUP MAGNET 1-1/2LBS PULLING CAPACITY
S276B2-6	1 X 2" OVAL MIRROR, 6" OAL WITH PICKUP MAGNET 1-1/2LBS PULLING CAPACITY AT THE OTHER END
S276B2-12	1 X 2" OVAL MIRROR, 12" OAL WITH PICKUP MAGNET 1-1/2LBS PULLING CAPACITY AT THE OTHER END
S276B2-18	1 X 2" OVAL MIRROR, 18" OAL WITH PICKUP MAGNET 1-1/2LBS PULLING CAPACITY AT THE OTHER END

NEW

NON-SPARKING & NON-MAGNETIC SAFETY TOOLS

NON-SPARKING & NON-MAGNETIC SAFETY TOOLS

Salisbury by Honeywell is proud to introduce the New Non-Sparking/Non-Magnetic Insulated Hand Tools and Tool Kits. This new introduction to the Salisbury Insulated Products (S.I.P.) Insulated Hand Tool line are manufactured from special Aluminum-Bronze and Copper-Beryllium alloys for safe use in areas where hazardous, flammable, or combustible vapors, liquids, dusts, or residues may be present. These tools are also highly corrosion-resistant.

Aluminum Bronze and Copper Beryllium Non-Sparking Safety Tools are specifically designed to eliminate the risk of sparks at sites where explosive atmospheres may be present.

Our safety tools are drop forged for the highest quality in hand tools. These corrosion-resistant tools are suitable for use in ship yards, laboratories, and paper and pulp mills, as well as in the pharmaceutical, food product manufacturing and wine industries.

Every Non-Sparking/Non-Magnetic double insulated hand tool is rated for exposure up to 1000 VAC and dielectrically tested at 10,000 VAC. These tools meet or exceed ASTM 1505-07 and IEC 900 standards for Insulated Hand Tools. These tools are necessary for compliance with OSHA 1910.333 (c)(2) and NFPA. These tools also meet CSA-2462 standards.

These tools utilize the same highly impact resistant insulating material as our established full line of insulated hand tools. The insulating material used is flame retardant and created with two-colors, making inspection easier, adding to the overall safety. If the yellow under layer is showing, the tool may no longer be insulated properly and should be considered for replacement and shall be removed from service.

Appropriate applications include industries where non-sparking safety tools are required. The non-magnetic feature of these alloys also make them ideal for working on special machinery with powerful magnets such as MRI machines, military de-mining and explosives.

SPECIFICALLY DESIGNED TO ELIMINATE THE RISK OF DANGEROUS SPARKS.

INDUSTRIES REQUIRING HAND TOOLS WITH NON-SPARKING PROPERTIES

MANUFACTURING INDUSTRIES:

- Alcohol Industries
- Ammunition, Missile & Explosives Plants
- Automotive Plants
- Breweries & Distilleries
- Chemical Manufacturing
- Flammable Materials Manufacturing
- Flour Mills
- Furniture Manufacturers (Varnish and Painting)
- Gas Plants
- Glue Factories
- Ink Industries
- Liquefied Petroleum Gases (LPG)
- Mining
- Nuclear Products
- Oil & Natural Gas Drilling, Refining & Handling
- Paint, Lacquer & Varnish Products
- Paper and Pulp Mills
- Petrochemicals
- Petroleum Refining
- Pharmaceutical Industries
- Pipeline Construction & Maintenance
- Plastic Manufacturing
- Sugar Mills
- Synthetic Fiber Manufacturing
- Wine Industries

TRANSPORTATION INDUSTRIES:

- Airports
- Railroads
- Shipyards
- Tankers
- Tanker Trucks
- Vessels
- Workboats

GOVERNMENT AGENCIES:

- Aircraft & Missile Plants
- Airport (Refueling & Maintenance Operations)
- Armed Forces
- Chemical, Biological, Radiological, Nuclear or Explosives Logistical Support Operational Equipment
- Fire Departments, Military Bases
- First Responders to Weapons of Mass Destruction, Firefighters, Public Safety Bomb Squads & Local Rescue Squads
- Hazardous Materials Handling & Clean-up
- Munitions Depots
- Nuclear Production & Waste
- Public Utilities: Gas, Electric & Telecommunication
- Waste Management
- Water Treatment Facilities

OTHER INDUSTRIES:

- Cleaning & Spraying Operations
- Confined Space Maintenance
- Explosive & Pyrotechnics
- Geophysical Exploration
- Grain Storage & Handling
- Hazardous Material Handling
- Maintenance & Service Operations
- Paint Spraying, Finishing & Booth Operations
- Packing Plants
- Propane Distributors & Bulk Plants
- Warehousing of all Hazardous Materials

INDUSTRIES REQUIRING HAND TOOLS WITH NON-MAGNETIC PROPERTIES

- Aircraft Maintenance & Overhaul
- Aluminum & Other Metal Smelting
- Electronics Manufacturers
- Hospitals & Clinics Magnetic Resonance Imaging (MRI)
- MRI Maintenance
- Mine Sweepers
- Nuclear Products & Testing Machines
- Precision Magnetic Equipment
- Public Utilities: Gas, Electric & Telephone
- Radar Transmission Centers

INDUSTRIES REQUIRING HAND TOOLS WITH CORROSION-RESISTANT PROPERTIES

- Boat Owners
- Chemical Manufacturing
- Desalinization Plants
- Food Product Manufacturing
- Laboratories
- Paper & Pulp Mills
- Petrochemicals
- Pharmaceutical Industry
- Plastic Manufacturing
- Shipyards
- Tankers, Vessels & Other Work Boats
- Wine Industry



INTRODUCING NEW BLUE COLOR OUTER COATING OVER YELLOW COATING.

OFFERING A FULL LINE OF TOOLS & TOOL KITS:

- Box End Wrenches
- Open End Wrenches
- Hex Wrenches
- Ratcheting Wrenches
- Pliers
- Cutters
- Socket Wrenches
- Screwdrivers
- Sockets
- Spanner Wrenches
- Tool Kits and more

CONTACT CUSTOMER SERVICE FOR ADDITIONAL INFORMATION ON SALISBURY'S FULL OFFERING OF NON-SPARK NON-MAGNETIC INSULATED HAND TOOLS & KITS.

NON-SPARKING & NON-MAGNETIC SAFETY TOOLS

KITS



NON-SPARKING & NON MAGNETIC BASIC ELECTRICIAN ROLL

CAT. NO.	DESCRIPTION
TK10NS	9 PCS. INCLUDES: 3/16 X 4 SLOTTED SCREWDRIVER 1/4 X 6 SLOTTED SCREWDRIVER 5/16 X 6 SLOTTED SCREWDRIVER #2 X 4 PHILLIPS SCREWDRIVER #1 X 3 PHILLIPS SCREWDRIVER 7" NEEDLE NOSE PLIER 7 1/2" DIAGONAL PLIER 8" LINESMAN PLIERS 10" WATER PUM PLIER IN A ROLL



NON-SPARKING & NON MAGNETIC HYBRID TOOL KIT

CAT. NO.	DESCRIPTION
TK11HBNS	11 PCS. INCLUDES: 8" LINESMAN PLIERS 8" SLIPJOINT PLIERS 6" CHAIN NOSE PLIERS 6" DIAGONAL PLIERS 10" WATER PUMP PLIERS #1 X 3 PHILLIPS SCREWDRIVER #2 X 4 PHILLIPS SCREWDRIVER 3/16 X 4 SLOTTED SCREWDRIVER 1/4 X 4 SLOTTED SCREWDRIVER 1/4 X 6 SLOTTED SCREWDRIVER 5/16 X 6 SLOTTED SCREWDRIVER TOOL BOX



NON-SPARKING & NON MAGNETIC SCREWDRIVER KIT

CAT. NO.	DESCRIPTION
S23872NS	7 PCS. INCLUDES: 1/8 X3 SLOTTED SCREWDRIVER 3/16 X 4 SLOTTED SCREWDRIVER 1/4 X 6 SLOTTED SCREWDRIVER 5/16 X 6 SLOTTED SCREWDRIVER #0 X 2 3/8 PHILLIPS SCREWDRIVER #1X3 PHILLIPS SCREWDRIVER #2 X 4 PHILLIPS SCREWDRIVER IN A ROLL
S23873NS	10 PCS. INCLUDES: 1/8 X3 SLOTTED SCREWDRIVER 3/16 X 4 SLOTTED SCREWDRIVER 1/4 X 6 SLOTTED SCREWDRIVER 5/16 X 6 SLOTTED SCREWDRIVER 3/8 X 8 SLOTTED SCREWDRIVER 3/8 X 12 SLOTTED SCREWDRIVER #1X3 PHILLIPS SCREWDRIVER #2 X 4 PHILLIPS SCREWDRIVER #3 X 6 PHILLIPS SCREWDRIVER #4 X 8 PHILLIPS SCREWDRIVER IN A ROLL

NEW**NON-SPARKING & NON-MAGNETIC SAFETY TOOLS**

KITS

NON-SPARKING & NON MAGNETIC OPEN END WRENCH SETS

CAT. NO.	DESCRIPTION
S241714NS	14 PCS. WRENCH OPEN 3/8" - 1-1/4" IN A ROLL
S241713NS	13 PCS. WRENCH OPEN 1/4" - 1" IN A ROLL
S241814NS	13 PCS. WRENCH OPEN 7 MM - 19MM IN A ROLL
S241818NS	17 PCS. WRENCH OPEN 7 MM - 24MM IN A ROLL

**NON-SPARKING & NON MAGNETIC BOX END WRENCH SETS**

CAT. NO.	DESCRIPTION
S241714-BNS	14 PCS. WRENCH BOX 3/8" - 1-1/4" TOOL ROLL 14 POCKET BLACK CANVAS
S241713-BNS	13 PCS. WRENCH BOX 1/4" - 1" TOOL ROLL
S241814-BNS	13 PCS. WRENCH BOX 7 MM - 19MM TOOL ROLL BLACK CANVAS
S241818-BNS	17 PCS. WRENCH BOX 7 MM - 24MM TOOL BAG CANVAS

**NON-SPARKING & NON MAGNETIC HEX WRENCH TYPE "L" SET**

CAT. NO.	DESCRIPTION
S2610214NS	14 PCS. 1/16" - 1/2" LONG ARM, IN A ROLL

NON-SPARKING & NON MAGNETIC METRIC HEX WRENCH TYPE "L" "

CAT. NO.	DESCRIPTION
S2610610NS	12 PCS. HEX WRENCH 1.5MM - 12MM TYPE L LONG ARM TOOL ROLL

**NON-SPARKING & NON MAGNETIC CLOSE QUARTER SOCKET SETS**

CAT. NO.	DESCRIPTION
S204947NS	1/4" DR. SET 13PC. INCLUDES : 1/4" RATCHET 4" & 8" FLARED EXTENSIONS, REGULAR SOCKETS 6PT: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", AND 9/16" PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACE.
S204654NS	3/8" DR. SET 14PC INCLUDES : 3/8" RATCHET 3" & 6" FLARED EXTENSIONS, REGULAR SOCKETS 6PT: 1/4", 5/16", 3/8", 7/16", 1/2" 9/16", 5/8", 11/16", 3/4", 13/16", AND 7/8" PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACE.
S204122NS	1/2" DR. SET 22 PC INCLUDES: 1/2" RATCHET 4" & 8" FLARED EXTENSION, REGULAR SOCKETS 6PT : 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1 1/16", 1 1/8", 1 3/16", 1 1/4", 1 5/16", 1 3/8", 1 7/16", 1 1/2" PACKAGED IN A PLASTIC TOOL BOX. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACE.

